

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : A61K 31/56	A1	(11) International Publication Number: WO 94/18983 (43) International Publication Date: 1 September 1994 (01.09.94)
(21) International Application Number: PCT/US94/01815 (22) International Filing Date: 18 February 1994 (18.02.94) (30) Priority Data: 08/023,692 25 February 1993 (25.02.93) US (71) Applicant: THE MEDICAL COLLEGE OF HAMPTON ROADS [US/US]; 358 Mowbray Arch, Norfolk, VA 23507 (US). (72) Inventor: HODGEN, Gary, D.; 855 W. Brambleton Avenue, Norfolk, VA 23510 (US). (74) Agents: MEILMAN, Edward, A. et al.; Ostrolenk, Faber, Gerb & Soffen, 1180 Avenue of the Americas, New York, NY 10036 (US).		(81) Designated States: AU, BB, BG, BR, BY, CA, CZ, FI, HU, JP, KP, KR, KZ, LK, MG, MN, MW, NO, NZ, PL, RO, RU, SD, SK, UA, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>
(54) Title: HORMONE REPLACEMENT THERAPY (57) Abstract A method of hormone replacement therapy involves the administration of estrogen together with an amount of antiprogesterone which inhibits estrogen-induced endometrial proliferation in a woman.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

- 1 -

HORMONE REPLACEMENT THERAPYBACKGROUND OF THE INVENTION

More than 40 million women in the United States alone have entered their post-menopausal years. The life expectancy of a woman who has attained her last menstrual period is about 28 years and a study in 1982 indicated that about 75 to 85% of these women will develop symptoms of estrogen deficiency (Hammond et al., *Fertil. Steril.* 37(1): 5-25, 1982). One of the most common complaints of women following the commencement of ovarian failure is the "hot flash" or vasomotor symptom complex. This is characterized by a sudden onset of warmth generally lasting a few minutes, frequently evidenced by a visible red flush, and often accompanied by dizziness, nausea, headache, palpitations and diaphoresis. Adequate estrogen supplementation has been shown to provide relief to over 90% of these individuals.

There are many other post-menopausal symptoms of chronic hypoestrogenism, among the most serious is osteoporosis and ischemic heart disease. As many as 25% of women over 60 years old have documented spinal

SUBSTITUTE SHEET

- 2 -

compression fractures as a result of osteoporosis related to estrogen deficiency and as many as 50% develop vertebral fractures by age 75. A very large percentage of hip fractures in the elderly are attributable to osteoporosis. In 1980, a study carried out at the Mayo Clinic calculated the cost of hospital stays due to fractures at over one billion dollars per year (Gallagher et al., *Clin. Ortho.*, 150:163, 1980).

Long-term estrogen replacement therapy is common for post-menopausal and other estrogen deficient women. It is, however, a more complicated issue for women having a uterus. Estrogen therapy has been associated with an increased incidence of endometrial cancer due to the continual "unopposed" estrogen-induced proliferation of the endometrium. Regular progestin administration inhibits the continual estrogen stimulation of the endometrium through an anti-proliferative effect and seems to reduce the rate of endometrial carcinoma in post-menopausal women receiving estrogen by several fold (Barbieri et al., *Menopause Management*, July/August 1992, 12-24). However, combination of estrogen and progestin frequently causes undesirable uterine bleeding which reduces the rate of patient compliance. There is also concern that the cardiovascular benefits of estrogen might be minimized by

SUBSTITUTE SHEET

- 3 -

progestins (Speroff, *Current Trends in Estrogen Replacement Therapy*, 1986). Nevertheless, both sequential and concurrent estrogen plus progestin regimens are now predominately used in hormone replacement therapy for menopausal women with a uterus. Notwithstanding the above, a woman without a uterus is adequately treated by estrogen alone.

Despite the well-established overall benefits of estrogen plus progestin replacement therapy for women having a uterus, the rate of patient compliance with this therapy suffers markedly because the treatment often requires women to endure side effects such as unpredictable bleeding and cyclotherapeutic withdrawal menstrual bleeding during a time in their lives when many women welcome cessation of menstrual bleeding as a normal occurrence in menopause. These side effects can be experienced during the entire treatment interval, which could be for the remainder of life. User satisfaction and compliance should all increase greatly if the principal benefits of the estrogen replacement therapy could be maintained while the estrogen-induced endometrial proliferation is inhibited without uterine bleeding.

The nature of the invention described here stems from the antiproliferative action of antiprogestin,

SUBSTITUTE SHEET

- 4 -

i.e., its ability to inhibit endometrial proliferation during hormonal replacement therapy. This antiproliferative effect by antiprogestins per se has been noted (Gravanis et al., *J Clin Endocrinol Metab*, 60: 156, 1986; Wolf et al., *Fertil Steril*, 52:1055, 1989; 5 Chualisz et al., *Endocrinology*, 129:312, 1991), but the therapeutic value of this effect for hormone replacement therapy to menopausal women (which extends over a minimum interval of 20 days) has not been previously recognized.

10 The absence of thickening (proliferating) endometrium, as can be achieved with the administration of antiprogestins during extended estrogen replacement therapy, would decrease the risk of endometrial carcinoma (which is also decreased with progestins), but unlike 15 that obtained with progestins would avoid unwanted vaginal bleeding that markedly reduces therapy compliance among postmenopausal women. Moreover, the addition of estrogen in combination with antiprogestin provides this advantage without negating the bone conserving efficacy 20 derived from estrogen replacement therapy. These therapeutic advantages are achieved without any complications that accompany progestin administration, which in this invention is excluded in its entirety.

25 It is accordingly the object of this invention to provide a method of inhibiting the estrogen-induced

SUBSTITUTE SHEET

- 5 -

proliferation of the endometrium without undesirable
uterine bleeding and without sacrificing the advantageous
properties of estrogen replacement therapy. This and
other objects of the invention will become apparent to
5 those of ordinary skill in the art from the following
detailed description.

SUMMARY OF THE INVENTION

This invention broadly relates to a method of
hormone replacement therapy. More particularly, it
10 relates to a method of hormone replacement therapy in
which an estrogen replacement therapy effective amount of
estrogen is administered to women in need of such therapy
and, in addition, antiprogesterin is also administered in
an amount which inhibits estrogen-induced endometrial
15 proliferation, thus avoiding uterine bleeding.

BRIEF DESCRIPTION OF THE DRAWING

The Figure shows the dependency of the urinary
calcium/creatinine ratio on estrogen.

DETAILED DESCRIPTION OF THE INVENTION

20 In accordance with the present invention, a
hormone replacement therapy is provided employing an
estrogen together with the co-administration of an amount

SUBSTITUTE SHEET

- 6 -

of antiprogestin which inhibits estrogen-induced endometrial proliferation.

The estrogen aspect of the invention is analogous to conventional estrogen replacement therapy. Accordingly, any known estrogen material, dosage amount and method heretofor employed in the usual estrogen replacement therapy can be employed in the practice of the present invention. Examples of estrogens which can be employed are ethinyl estradiol and estradiol and their esters such as the acetate, valerate or benzoate, mestranol and conjugated equine estrogens. The estrogen is administered in the conventional manner by any route where it is active, for instance orally or transdermally. Most estrogens are orally active and that route of administration is therefore preferred. Accordingly, administration forms can be tablets, dragees, capsules or pills which contain the estrogen and a suitable pharmaceutically acceptable carrier.

For example, the amount of conjugated equine estrogen administered is analogous to that practiced in conventional estrogen replacement therapy and is generally in the range of about 0.3 to 1.2 mg, preferably about 0.625 to 0.9 mg daily. The determination of an effective dose is a routine exercise in the pharmaceutical arts, taking into account such various

SUBSTITUTE SHEET

- 7 -

physical parameters as weight, age and the like, and is best determined by the attending clinician. The administration can be periodic, such as on a weekly basis, or continuous such as on a daily basis. The latter, that is daily administration, is preferred because individuals are more likely to follow the treatment regiment and not to forget or overlook a periodic administration schedule.

The antiprogesterin can be a progesterone receptor antagonist or a pharmaceutically suitable agent that counteracts the normal biological activity of progesterone. A preferred antiprogesterin is a progesterone receptor antagonist. For example, RU 486 is particularly suitable in the practice of this invention.

Examples of antiprogesterins which can be employed in this invention are RU 486 ("mifepristone", Roussel Uclaf, Paris; U.S. patent 4,386,085); and "onapristone" (Schering Ag, Berlin; U.S. patent 4,780,461) and the steroids described in the following patents and patent applications: U.S. Patent 4,609,651, especially the compound lilopristone (11 β -(4-dimethylaminophenyl)-17 β -hydroxy-17 α -(3-hydroxy-prop-1-(Z)-enyl-4,9(10) estradien-3-one); U.S. application Serial No. 06/827,050, especially the compounds 11 β -(4-acetylphenyl)-17 β -hydroxy-17 α -(1-propinyl)-4,9-estradien-

SUBSTITUTE SHEET

- 8 -

3-one and 11 β -(4-acetylphenyl)-17 β -hydroxy-17 α -(3-hydroxy-1(2)-propenyl)-4,9-estradien-3-one; U.S. application Serial No. 07/283,632; published European patent application EP-A 04042831; and other anti-progestins, e.g., U.S. Patent 4,891,368.

The antiprogestin can be administered by way of any art recognized means as practiced in the pharmaceutical arts. For example, a suitable antiprogestin may be so formulated so that it can be administered orally, via a skin patch for transdermal absorption, contained within an inert matrix which is implanted within the body and in the depot state or intravaginally in a matrix that slowly releases the antiprogestin (such an implant is taught in U.S. Patent Nos. 4,957,119 and 5,088,505 and the like).

Pharmaceutical formulations containing the antiprogestin and a suitable carrier can be solid dosage forms which includes tablets, capsules, cachets, pellets, pills, powders or granules; topical dosage forms which includes solutions, powders, fluid emulsions, fluid suspensions, semi-solids, ointments, pastes, creams, gels or jellies and foams; and parenteral dosage forms which includes solutions, suspensions, emulsions or dry powder comprising an effective amount of antiprogestin as taught in this invention. It is known in the art that the

SUBSTITUTE SHEET

- 9 -

active ingredient, the antiprogesterin, can be contained in such formulations in addition to pharmaceutically acceptable diluents, fillers, disintegrants, binders, lubricants, surfactants, hydrophobic vehicles, water soluble vehicles, emulsifiers, buffers, humectants, moisturizers, solubilizers, preservatives and the like. The means and methods for administration are known in the art and an artisan can refer to various pharmacologic references for guidance. For example, "Modern Pharmaceuticals", Banker & Rhodes, Marcel Dekker, Inc. 1979; "Goodman & Gilman's The Pharmaceutical Basis of Therapeutics", 6th Edition, MacMillan Publishing Co., New York 1980 can be consulted.

The estrogen and antiprogesterin components of the hormone replacement therapy methods of the invention can be co-administered utilizing the same or different dosage forms or means, for example the same tablet, or the estrogen component may be provided continuously by implant or depot with supplemental amounts of antiprogesterin provided orally on a periodic basis. Application of the components, compositions and methods of the present invention for the medical or pharmaceutical uses described herein can thus be accomplished by any clinical, medical or pharmaceutical

SUBSTITUTE SHEET

- 10 -

methods and techniques as are presently or prospectively known to those skilled in the art.

The pharmaceutical formulations may be provided in kit form containing a plurality of, generally at least
5 about 20, and preferably in multiples of 7 such as 28, tablets, intended for ingestion on successive days. Where administration of the antiprogesterin is intended to be periodic, a plurality, generally at least three, of non-adjacent tablets contain the antiprogesterin while the
10 remaining tablets are placebo. Where convenient, the kit may provide the estrogen and antiprogesterin can be in the same tablet.

The administration of the antiprogesterin is in an amount which inhibits estrogenic endometrial
15 proliferation. This is generally about 0.005 to 1 mg/kg, and preferably about 0.05 to 0.5 mg/kg, daily in the case of RU 486. Other milligram amounts may be appropriate in the case of different antiprogesterins. Regimens of estrogen and antiprogesterin other than daily and/or in
20 which the dosage amount of the estrogen and antiprogesterin is periodically varied are also within the scope of the invention. It should also be appreciated that a minor amount of periodic bleeding or spotting on a monthly or yearly basis can occur. In other words, the amenorrhea
25 state (the absence of menstrual-like bleeding)

SUBSTITUTE SHEET

- 11 -

established in this invention is substantially, but not necessarily totally, complete. The appropriate amount of the antiprogesterin in the practice of the present invention can, as with the estrogen amount, be determined
5 by using art recognized methods, for example by establishing dose-response curves in suitable primate models and extrapolating to humans, extrapolating from suitable in vitro systems or determining effectiveness in clinical trials. The attending clinician will, as in the
10 case of the estrogen, take weight, age and other physical and medical parameters into account when establishing an appropriate dosage amount.

The administration of the antiprogesterin can either be periodic such as on a weekly basis or
15 continuous, that is on a daily basis. A daily administration is preferred because individuals are more likely to follow the treatment regimen and not to forget or overlook a periodic administration schedule. In the case of the antiprogesterin RU 486, a suitable human oral
20 dose will be on the order of about 0.5 to 10 mg per dose, preferably about 1 to 5 mg per dose daily. This amount can be lowered or raised based on the administration regimen and based on the characteristics of the individual receiving the treatment. Variations of dosage

SUBSTITUTE SHEET

- 12 -

based on the route of administration may vary and such changes can be determined practicing known techniques.

In order to further illustrate the present invention, specific examples are set forth below. It
5 will be appreciated, however, that these examples are illustrative only and are not intended to limit the scope of the invention.

EXAMPLE 1

For the purposes of this study, the anti-
10 progestin selected was RU 486 and this was administered to female monkeys, which are recognized to be a suitable model for human research.

Thirty adult females cynomolgus monkeys (*Macaca fascicularis*) weighing 3.1 to 5.2 kg and having
15 presumably ovulatory, regular menstrual cycles were housed in individual cages which had food and water available at libitum, except when urine was collected. These collections were made after overnight fasting with provision of distilled drinking water in order to avoid
20 contamination with food and/or fecal matter. Detection of blood in the vagina was accomplished by daily vaginal swabs between 6 and 9 A.M. using a saline moistened cotton-tipped applicator. Blood and urine specimens were obtained at the commencement of the study, 10 days after

SUBSTITUTE SHEET

- 13 -

surgical bilateral ovariectomy, 30 days after initiation of treatment, 60 days after initiation of treatment and 90 days after initiation of treatment.

5 The monkeys were randomly assigned to four groups. Five monkeys were in group I and these constituted ovariectomized controls. Group II consisted of fifteen monkeys which were treated with 0.15 mg conjugated equine estrogens (hereinafter CEE) orally per day. Group II was subdivided into three groups of five
10 animals each, and the subgroups were treated for 30, 60 or 90 days, respectively. Group III consisted of five monkeys which were treated with 0.15 mg CEE orally per day and also administered 0.5 mg of the antiprogesterin RU 486 orally per day for 90 days. Group IV consisted of
15 five monkeys which were treated in the same way as Group III except that the dosage of RU 486 was 10 mg. All medications were administered by gavage between 6 and 9 A.M.

20 Table 1 below summarizes the incidents of bleeding, either withdrawal menses or breakthrough bleeding, among the treatment groups.

SUBSTITUTE SHEET

-14-

Endometrial Status During Conjugated Equine Estrogen Treatment, with and
Without Antiprogesterin Therapy in Ovarian Primates¹: Withdrawal Menses
and Breakthrough Bleeding As An Indication of Proliferative Versus Atrophic Tissue

Monkey Groups	N	Treatment Interval (Days)	Incidents of Breakthrough Bleeding ⁴ (Days)	Withdrawal Menses ⁴		Duration of Withdrawal Bleeding ⁴ Days: $\bar{x} \pm SEM$
				Range of Individuals	Days Detected	
I. Untreated Controls	5	—	0	0/5	—	—
II. CEE ² 0.15 mg Alone	5	30	0	5/5	32 to 44	5.2 \pm 4.4
	5	60	3	5/5	63 to 71	6.6 \pm 3.7
	5	90	2	5/5	92 to 103	6.4 \pm 4.5
III. CEE ² 0.15 mg + AP ³ 5.0 mg	5	90	0	3/5	- one day 94 and 96 - one day 93 only - one day 96 only	<1 ⁵
IV. CEE ² 0.15 mg + AP ³ 10.0 mg	5	90	2	1/5	- day 95 only	<1 ⁵

- 1) Cynomolgus monkeys were ovariectomized 10 days before initiation of treatments.
 2) Conjugated equine estrogens (CEE), orally administered daily
 3) Antiprogesterin (AP), RU486 orally administered daily.
 4) Blood in the vagina was detected by daily swabs.
 5) Significantly reduced withdrawal bleeding ($P < 0.005$)

SUBSTITUTE SHEET

- 15 -

The administration of the estrogen alone uniformly led to withdrawal bleeding regardless of the length of the treatment and the duration of the bleeding was highly individualized, averaging from 5 to 6 days, although the onset and cessation were spread over almost two weeks after ending the CEE administration. Breakthrough bleeding was negligible and inconsequential in all groups. The additional administration of the anti-progestin at both dosages markedly curtailed bleeding of any kind and except for a few episodes of spotting, a state approaching amenorrhea was sustained in the two weeks after the treatment ended. This was particularly evident at the higher dosage level. The lack of withdrawal bleeding was statistically significantly different.

The data set forth in the Figure demonstrates the acute dependency of the urinary calcium/creatinine ratio on an adequate physiologic supply of estrogen. The CEE dosage employed was fully sufficient to restore this metabolic marker to near pretreatment levels at 30, 60 and 90 days. Importantly, addition of the antiprogestin to achieve an atrophic endometrial status and amenorrhea did not deter the acute beneficial effects of the estrogen therapy. A consistent trend, albeit not statistically significant, shows the RU 486 may have

SUBSTITUTE SHEET

- 16 -

lowered the calcium/creatinine ratio even more than CEE alone.

5 The data obtained during the study confirms that the antiprogesterin used in the combination with the estrogen in the hormone replacement therapy regimen was highly advantageous. It showed an avoidance of menses induced by cyclic therapeutic regimens, without sacrificing the protective actions of estrogen therapy on acute calcium homeostasis as assessed by urinary excretion. In like
10 manner, these data suggest that benefit of estrogen can be retained within the range of antiprogesterin dosage which attains amenorrhea without compromising the beneficial effects of estrogen on proliferal actions of the body, including: coronary vessels, vaginal tissues,
15 temperature regulation of the hypothalamus, dermatological effects, mood effects and the like. The antiprogesterin may counter the known association between estrogen therapy and breast cancer risk in that the administration of the antiprogesterin may counteract
20 estrogen-dependant tumor growth and/or progestin-dependant tumor growth.

SUBSTITUTE SHEET

- 17 -

EXAMPLES 2-9

Following the procedures set forth in Example 1, hormone replacement study is repeated with the following combination of agents:

<u>Example</u>	<u>Estrogen</u>	<u>Antiprogestin</u>
2	estriol (E3)	onapristone
3	estetrol (E4)	lilopristone
4	estradiol	11 β -(4-acetyl-phenyl)-17 β -hydroxy-17 α -(1-propinyl)-4,9-estradien-3-one
5	estrone	11 β -(4-acetyl-phenyl)-17 β -hydroxy-17 α -(3-hydroxy-1(2)-propenyl)-4,9-estradien-3-one
6	estrone sulfate	mifepristone
7	ethinyl estradiol	onapristone
8	estropipate	lilopristone
9	11-nitro estradiol	mifepristone

Various changes and modifications can be made in the present invention without departing from the spirit and scope thereof. The various embodiments which have been described and illustrated herein were intended to be representative and not limiting.

SUBSTITUTE SHEET

- 18 -

WHAT IS CLAIMED IS:

1. A method of hormone replacement therapy which comprises administering to a woman in need of such therapy, estrogen in an hormone replacement therapy effective amount and antiprogestin in an amount effective
5 to inhibit estrogen-induced endometrial proliferation of antiprogestin; in the absence of progestin administration.
2. The method of claim 1 in which the antiprogestin is administered daily.
3. The method of claim 2 in which the administration is oral.
4. The method of claim 1 in which the estrogen and antiprogestin are administered daily.
5. The administration of claim 1 in which the administration is oral.
6. The method of claim 1 in which each administration contains about 0.5 to 10 mg of the antiprogestin daily.

SUBSTITUTE SHEET

- 19 -

7. The method of claim 6 in which the amount is about 1 to 5 mg.

8. The method of claim 1 in which the mode of administration is by depot.

9. The method of claim 1 in which the antiprogestin is a progestin receptor antagonist.

10. The method of claim 9 in which the antiprogestin is RU 486.

11. The method of claim 1 in which the amount of antiprogestin administered is sufficient to effect a state of substantial amenorrhea.

12. The method of claim 1 in which the amount of antiprogestin administered preserves the bone conserving effect of the estrogen administered.

13. In a method of hormone replacement therapy in which estrogen is administered in the absence of progestin administration to a woman in need of such therapy, the improvement which comprises the additional

SUBSTITUTE SHEET

- 20 -

administration to said woman of antiprogestin in an amount which inhibits estrogen-induced endometrial proliferation.

14. A kit containing a plurality of tablets, a portion of which contain a hormone replacement therapy effective amount of an estrogen and a portion of which contain an amount of an antiprogestin which inhibits estrogen endometrial proliferation.

15. The kit of claim 14 in which each tablet contains both the estrogen and antiprogestin.

16. The kit of claim 15 in which the amount of antiprogestin is about 0.5 to 10 mg.

17. The kit of claim 16 in which the amount of antiprogestin is about 1 to 5 mg.

18. The kit of claim 17 in which the antiprogestin is RU 486.

19. The kit of claim 14 in which the amount of antiprogestin is about 0.5 to 10 mg.

SUBSTITUTE SHEET


- 21 -

20. The kit of claim 14 in which the amount of antiprogestin is about 1 to 5 mg.

21. The kit of claim 14 in which the antiprogestin is a progestin receptor antagonist.

SUBSTITUTE SHEET

1/1



INTERNATIONAL SEARCH REPORT

International application No.
PCT/US94/01815

A. CLASSIFICATION OF SUBJECT MATTER IPC(5) :A61K 31/56 US CL :514/170,179 According to International Patent Classification (IPC) or to both national classification and IPC																				
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 514/170,179 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched NONE Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS AND CAS ONLINE: ANTI-PROGEST ⁷ , ESTROGEN ⁷ , HORMONE THERAPY OR HORMONE REPLACEMENT, ENDOMETRIAL PROLIF ⁷																				
C. DOCUMENTS CONSIDERED TO BE RELEVANT																				
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.																		
Y	Journal of Clinical Endocrinology and Metabolism, vol. 60, no. 1, issued 1985, A. Gravanis et al., "Endometrial and Pituitary Responses to the Steroidal Antiprogestin RU 486 in Postmenopausal Women", pages 156-163, especially page 156.	1-21																		
Y	Rakel, ed., "Conn's Current Therapy", published 1992, pages 1017-1020, especially page 1019.	1-21																		
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.																				
<table border="0"><tr><td>* Special categories of cited documents:</td><td>"T"</td><td>later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</td></tr><tr><td>"A" document defining the general state of the art which is not considered to be part of particular relevance</td><td>"X"</td><td>document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</td></tr><tr><td>"E" earlier document published on or after the international filing date</td><td>"Y"</td><td>document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</td></tr><tr><td>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</td><td>"&"</td><td>document member of the same patent family</td></tr><tr><td>"O" document referring to an oral disclosure, use, exhibition or other means</td><td></td><td></td></tr><tr><td>"P" document published prior to the international filing date but later than the priority date claimed</td><td></td><td></td></tr></table>			* Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention	"A" document defining the general state of the art which is not considered to be part of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	"E" earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art	"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&"	document member of the same patent family	"O" document referring to an oral disclosure, use, exhibition or other means			"P" document published prior to the international filing date but later than the priority date claimed		
* Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention																		
"A" document defining the general state of the art which is not considered to be part of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone																		
"E" earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art																		
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&"	document member of the same patent family																		
"O" document referring to an oral disclosure, use, exhibition or other means																				
"P" document published prior to the international filing date but later than the priority date claimed																				
Date of the actual completion of the international search 29 MARCH 1994		Date of mailing of the international search report MAY 17 1994																		
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer KIMBERLY JORDAN Telephone No. (703) 308-1235																		

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US94/01815

(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	Chemical Abstracts, vol. 111, no. 15, issued 1989, Van Uem et al., "Contraceptive Potential of RU 486 by Ovulation Inhibition: I. Pituitary Versus Ovarian Action with Blockade of Estrogen-Induced Endometrial Proliferation", see abstract no. 127206n.	1-21

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.